## Clandestine Drug Lab Decontamination Supervisor Certification Application Form



Type or Print clearly in ink. Application fee for initial and renewal applications is \$200 each (effective September 2, 2006). Make check payable to Washington State Department of Health (DOH). Fees are not refundable or transferable. **Allow 60 days to process initial application and 30 days to process renewal application**.

## Send application, fee, and test to:

Washington State Dept of Health Revenue Section P.O. Box 1099 Olympia, WA 98507-1099 For overnight service, mail to: 101 Israel Rd SE Tumwater 98504-7901 Initial application and test must be received within 60 days of completing supervisor course, and the renewal application must be received before current supervisor certification expires. or certification will not be acted upon and the supervisor course must be retaken.

Renewal certification  For Renewal certification submit:  1) Completed application form;  2) Application fee;  3) Two official passport photos;  4) Copy of DOH's CDL Supervisor certificate  5) Copy of 40-hour HAZWOPER certificate  6) If 40-hour HAZWOPER was taken over of year ago, also submit a copy of your cure.  8-hour annual HAZWOPER refresher
<ol> <li>Completed application form;</li> <li>Application fee;</li> <li>Two official passport photos;</li> <li>Copy of DOH's CDL Supervisor certificate</li> <li>Copy of 40-hour HAZWOPER certificate</li> <li>If 40-hour HAZWOPER was taken over o year ago, also submit a copy of your curse-hour annual HAZWOPER refresher</li> </ol>
certificate. 7) Copy of DOH's CDL Refresher Course completion certificate.
State ZIP+4

\* Standard hazardous waste operation projects are accepted. Asbestos and lead remediation projects are accepted and in some cases mold remediation projects. Documentation of asbestos and lead worker or supervisor trainings and certifications must be submitted with this application. The Department evaluates and approves mold remediation projects on a case-to-case basis.

Date

Applicant's Signature